


Selection and Ordering data

MAG 3100 and MAG 3100 HT¹⁾ Type C Grounding and protection rings

1 pc. AISI 304 grounding and protection ring **type C** for all liners except PTFE and PFA

Type C



DN	PN 6 Order No.	PN 10 Order No.	PN 16 Order No.	PN 25 Order No.	PN 40 Order No.	AS 2129 Table E Order No.
DN 25					FDK-083N8361	FDK-083N8361
DN 40					FDK-083N8362	FDK-083N8362
DN 50					FDK-083N8344	FDK-083N8344
DN 65	FDK-083N8345		FDK-083N8345		FDK-083N8345	FDK-083N8346
DN 80	FDK-083N8347		FDK-083N8347		FDK-083N8347	FDK-083N8347
DN 100	FDK-083N8070		FDK-083N8025		FDK-083N8025	FDK-083N8025
DN 125	FDK-083N8071		FDK-083N8071		FDK-083N8071	FDK-083N8071
DN 150	FDK-083N8072		FDK-083N8008		FDK-083N8008	FDK-083N8008
DN 200	FDK-083N8074	FDK-083N8011	FDK-083N8011	FDK-083N8011	FDK-083N8075	FDK-083N8011
DN 250	FDK-083N8078	FDK-083N8013	FDK-083N8013	FDK-083N8013	FDK-083N8079	FDK-083N8013
DN 300	FDK-083N8080	FDK-083N8012	FDK-083N8012	FDK-083N8081	FDK-083N8082	FDK-083N8012
DN 350	FDK-083N8083	FDK-083N8039	FDK-083N8039	FDK-083N8084	FDK-083N8085	FDK-083N8039
DN 400	FDK-083N8099	FDK-083N8100	FDK-083N8100	FDK-083N8101	FDK-083N8102	FDK-083N8100
DN 450	FDK-083N8103	FDK-083N8103	FDK-083N8104	FDK-083N8104	FDK-083N8105	FDK-083N8104
DN 500	FDK-083N8107	FDK-083N8107	FDK-083N8108	FDK-083N8108	FDK-083N8109	FDK-083N8108
DN 600	FDK-083N8111	FDK-083N8111	FDK-083N8112	FDK-083N8112		FDK-083N8113
DN 700	FDK-083N8300	FDK-083N8294	FDK-083N8294			FDK-083N8372
DN 750						
DN 800	FDK-083N8303	FDK-083N8304	FDK-083N8304			FDK-083N8373
DN 900	FDK-083N8306	FDK-083N8307	FDK-083N8307			FDK-083N8396
DN 1000	FDK-083N8309	FDK-083N8310	FDK-083N8310			FDK-083N8397
DN 1100		FDK-083N8367	FDK-083N8367			FDK-083N8367
DN 1200	FDK-083N8312	FDK-083N8313	FDK-083N8313			FDK-083N8398
DN 1400	FDK-083N8467	FDK-083N8468	FDK-083N8469			
DN 1500	FDK-083N8471	FDK-083N8472	FDK-083N8473			
DN 1600	FDK-083N8475	FDK-083N8476	FDK-083N8477			
DN 1800	FDK-083N8479	FDK-083N8480	FDK-083N8481			
DN 2000	FDK-083N8483	FDK-083N8484	FDK-083N8485			

¹⁾ Also for MAG 5100 W (7ME6520 > DN 300; and 7ME6580).

Size	ANSI Class 150 Order No.	Class 300 Order No.	JIS K10 Order No.	JIS K20 Order No.	Size	AWWA C-207 Order No.
1"	FDK-083N8361	FDK-083N8361	FDK-083N8361	FDK-083N8361	28"	FDK-083N8302
1½"	FDK-083N8362	FDK-083N8362	FDK-083N8362	FDK-083N8362	30"	FDK-083N8366
2"	FDK-083N8344	FDK-083N8344	FDK-083N8344	FDK-083N8344	32"	FDK-083N8305
2½"	FDK-083N8345	FDK-083N8345	FDK-083N8345	FDK-083N8345	36"	FDK-083N8308
3"	FDK-083N8347	FDK-083N8347	FDK-083N8347	FDK-083N8347	40"	FDK-083N8311
4"	FDK-083N8025	FDK-083N8025	FDK-083N8070	FDK-083N8025	42"	FDK-083N8394
5"	FDK-083N8071	FDK-083N8071	FDK-083N8071	FDK-083N8071	44"	FDK-083N8395
6"	FDK-083N8008	FDK-083N8073	FDK-083N8008	FDK-083N8008	48"	FDK-083N8314
8"	FDK-083N8011	FDK-083N8076	FDK-083N8011	FDK-083N8011	54"	FDK-083N8470
10"	FDK-083N8013	FDK-083N8079	FDK-083N8013	FDK-083N8079	60"	FDK-083N8474
12"	FDK-083N8012	FDK-083N8082	FDK-083N8012	FDK-083N8081	66"	FDK-083N8478
14"	FDK-083N8039	FDK-083N8085	FDK-083N8083	FDK-083N8039	72"	FDK-083N8482
16"	FDK-083N8100	FDK-083N8102	FDK-083N8100	FDK-083N8101	78"	FDK-083N8486
18"	FDK-083N8104	FDK-083N8106	FDK-083N8103	FDK-083N8104		
20"	FDK-083N8107	FDK-083N8110	FDK-083N8107	FDK-083N8108		
24"	FDK-083N8113	FDK-083N8114	FDK-083N8111	FDK-083N8112		

Selection and Ordering data


MAG 3100 and 3100 HT Type E grounding and protection ring

1 pc. AISI 316 grounding and protection ring **type E** for PTFE liners

Note:

For MAG 3100 HT High temperature version 7ME6320... for PTFE 180 °C (356 °C) versions - grounding ring type E is included and factory mounted.

Type E



DN	PN 6 Order No.	PN 10 Order No.	PN 16 Order No.	PN 25 Order No.	PN 40 Order No.
DN 15					FDK-083N8365
DN 25					FDK-083N8271
DN 40					FDK-083N8278
DN 50					FDK-083N8282
DN 65	FDK-083N8284		FDK-083N8285		FDK-083N8286
DN 80	FDK-083N8288		FDK-083N8289		FDK-083N8290
DN 100	FDK-083N8116		FDK-083N8117		FDK-083N8118
DN 125	FDK-083N8120		FDK-083N8121		FDK-083N8122
DN 150	FDK-083N8124		FDK-083N8125		FDK-083N8126
DN 200	FDK-083N8129	FDK-083N8130	FDK-083N8130	FDK-083N8131	FDK-083N8132
DN 250	FDK-083N8135	FDK-083N8136	FDK-083N8137	FDK-083N8138	FDK-083N8139
DN 300	FDK-083N8144	FDK-083N8144	FDK-083N8145	FDK-083N8146	FDK-083N8147
DN 350	FDK-083N8152	FDK-083N8153	FDK-083N8154	FDK-083N8155	FDK-083N8156
DN 400	FDK-083N8160	FDK-083N8161	FDK-083N8162	FDK-083N8163	FDK-083N8164
DN 450	FDK-083N8168	FDK-083N8169	FDK-083N8170	FDK-083N8171	FDK-083N8172
DN 500	FDK-083N8177	FDK-083N8178	FDK-083N8179	FDK-083N8180	FDK-083N8181
DN 600	FDK-083N8186	FDK-083N8187	FDK-083N8188	FDK-083N8189	

Protection of PTFE liner use 2 pcs.

Earthing of PTFE lined flowmeter use 1 pc.

Size	ANSI			
	Class 150 Order No.	Class 300 Order No.	JIS K10 Order No.	JIS K20 Order No.
½"	FDK-083N8365	FDK-083N8365		
1"	FDK-083N8272	FDK-083N8272	FDK-083N8271	FDK-083N8271
1½"	FDK-083N8279	FDK-083N8279	FDK-083N8278	FDK-083N8278
2"	FDK-083N8283	FDK-083N8283	FDK-083N8282	FDK-083N8282
2½"	FDK-083N8287	FDK-083N8287	FDK-083N8285	FDK-083N8285
3"	FDK-083N8291	FDK-083N8292	FDK-083N8288	FDK-083N8289
4"	FDK-083N8118	FDK-083N8119	FDK-083N8116	FDK-083N8117
5"	FDK-083N8122	FDK-083N8123	FDK-083N8121	FDK-083N8122
6"	FDK-083N8126	FDK-083N8127	FDK-083N8125	FDK-083N8126
8"	FDK-083N8370	FDK-083N8133	FDK-083N8130	FDK-083N8131
10"	FDK-083N8140	FDK-083N8141	FDK-083N8137	FDK-083N8139
12"	FDK-083N8148	FDK-083N8149	FDK-083N8144	FDK-083N8146
14"	FDK-083N8157	FDK-083N8158	FDK-083N8152	FDK-083N8154
16"	FDK-083N8165	FDK-083N8166	FDK-083N8161	FDK-083N8163
18"	FDK-083N8173	FDK-083N8174	FDK-083N8169	FDK-083N8171
20"	FDK-083N8182	FDK-083N8183	FDK-083N8178	FDK-083N8180
24"	FDK-083N8190	FDK-083N8191	FDK-083N8187	FDK-083N8189

Protection of PTFE liner use 2 pcs.

Grounding of PTFE lined flowmeter use 1 pc.

AS2129, Table E

DN	Order No.
DN 15	FDK-083N8365
DN 25	FDK-083N8272
DN 40	FDK-083N8280
DN 50	FDK-083N8281
DN 65	FDK-083N8284
DN 80	FDK-083N8293
DN 100	FDK-083N8117
DN 125	FDK-083N8121
DN 150	FDK-083N8128
DN 200	FDK-083N8134
DN 250	FDK-083N8143
DN 300	FDK-083N8151
DN 350	FDK-083N8153
DN 400	FDK-083N8161
DN 450	FDK-083N8176
DN 500	FDK-083N8185
DN 600	FDK-083N8193

Protection of PTFE liner use 2 pcs.


Grounding of PTFE lined flowmeter use 1 pcs.

Selection and Ordering data

MAG 3100 and MAG 3100 HT type E grounding and protecting ring

1 pc. Hastelloy C276 grounding and protection ring **type E** for PTFE liners

Type E




DN	PN 6	PN 16	PN 40	Size	ANSI Class 150	Class 300
	Order No.	Order No.	Order No.		Order No.	Order No.
DN 15			FDK-083N8487	1/2"	FDK-083N8487	FDK-083N8487
DN 25			FDK-083N8488	1"	FDK-083N8489	FDK-083N8489
DN 40			FDK-083N8490	1 1/2"	FDK-083N8491	FDK-083N8491
DN 50			FDK-083N8492	2"	FDK-083N8493	FDK-083N8493
DN 65	FDK-083N8494	FDK-083N8495	FDK-083N8496	2 1/2"	FDK-083N8497	FDK-083N8497
DN 80	FDK-083N8498	FDK-083N8499	FDK-083N8500	3"	FDK-083N8501	FDK-083N8502
DN 100	FDK-083N8503	FDK-083N8504	FDK-083N8505	4"	FDK-083N8506	FDK-083N8507

Selection and Ordering data

MAG 3100 and MAG 3100 HT¹⁾ Grounding rings: Flat rings

1 pc. **AISI 316** grounding **flat ring** for all liners (PTFE max. 130 °C (266 °F))




DN	PN 10	PN 16	PN 40	Size	ANSI Class 150	Class 300
	Order No.	Order No.	Order No.		Order No.	Order No.
DN 15			A5E01191969	1/2"	A5E01191968	
DN 25			A5E01150880	1"	A5E01150022	A5E01150378
DN 40			A5E01191952	1 1/2"	A5E01191961	
DN 50			A5E01150918	2"	A5E01151121	A5E01151194
DN 65		A5E01191940	A5E01191954	2 1/2"	A5E01191962	
DN 80		A5E01152876	A5E01152876	3"	A5E01152910	A5E01153422
DN 100		A5E01158875	A5E01159072	4"	A5E01159146	A5E01159628
DN 125		A5E01191941	A5E01191956	5"	A5E01191963	
DN 150		A5E01191943	A5E01191957	6"	A5E01191964	
DN 200	A5E01191951	A5E01191944	A5E01191958	8"	A5E01191965	
DN 250	A5E01191950	A5E01191946	A5E01191959	10"	A5E01191966	
DN 300	A5E01191949	A5E01191947	A5E01191960	12"	A5E01191967	

¹⁾ Also for MAG 5100 W (7ME6520 DN 40 ... 300)

Selection and Ordering data

MAG 3100 and MAG 3100 HT Grounding rings : Flat rings

1 pc. **Hastelloy C276** grounding **flat ring** for all liners (PTFE max. 130 °C (266 °F))




DN	PN 10	PN 16	PN 40	Size	ANSI Class 150	Class 300
	Order No.	Order No.	Order No.		Order No.	Order No.
DN 15			A5E01191981	½"	A5E01191989	
DN 25			A5E01150882	1"	A5E01150028	A5E01150379
DN 40			A5E01191982	1½"	A5E01191990	
DN 50			A5E01150922	2"	A5E01151124	A5E01151197
DN 65		A5E01191971	A5E01191983	2½"	A5E01191991	
DN 80		A5E01152889	A5E01152889	3"	A5E01152913	A5E01153424
DN 100		A5E01158886	A5E01159074	4"	A5E01159150	A5E01159629
DN 125		A5E01191973	A5E01191984	5"	A5E01191992	
DN 150		A5E01191974	A5E01191985	6"	A5E01191993	
DN 200	A5E01191978	A5E01191975	A5E01191986	8"	A5E01191994	
DN 250	A5E01191979	A5E01191976	A5E01191987	10"	A5E01191995	
DN 300	A5E01191980	A5E01191977	A5E01191988	12"	A5E01191996	

Selection and Ordering data

MAG 3100 and MAG 3100 HT Grounding rings : Flat rings

1 pc. **Tantalum** grounding **flat ring** for all liners (PTFE max. 130 °C (266 °F))



DN	PN 16	PN 40	Size	ANSI Class 150	Class 300
	Order No.	Order No.		Order No.	Order No.
DN 15		A5E01192007	½"	A5E01192010	
DN 25		A5E01150883	1"	A5E01150030	A5E01150381
DN 40		A5E01192008	1½"	A5E01192011	
DN 50		A5E01150926	2"	A5E01151129	A5E01151199
DN 65	A5E01192005	A5E01192009	2½"	A5E01192012	
DN 80	A5E01152890	A5E01152890	3"	A5E01152916	A5E01153427
DN 100	A5E01158891	A5E01159076	4"	A5E01159156	A5E01159631